

Our portfolio



Jelitto Star GmbH
Bahnhofstraße 36
D-28790 Schwanewede
Tel. +49 421 - 66 47 97
www.jelittostar.de

Jelitto Star
ILLUMINATIONEN

Made in Germany

A welder wearing a protective mask and gloves is working in a factory. Bright sparks are flying from the welding point, illuminating the scene. The background shows industrial equipment and a corrugated metal surface.

A person is shown in a workshop, focused on working with Christmas lights. The scene is dimly lit, with a strong blue and green glow from the lights they are handling. In the background, several large, circular wire mesh structures are visible, likely used for hanging or drying lights. The overall atmosphere is one of craftsmanship and preparation for the holiday season.

About us ...

Jelitto Star was founded over 60 years ago in Bremen, Germany, by master electrician Wilfried Jelitto. The company is now in its third generation as a successful supplier of Christmas illuminations to destinations all over the world.

During this time we have successfully undertaken consultations and designs all around the world in cooperation with our general agencies. During the peak season more than 30 qualified employees are available.

The lead time for our standard range comprising more than 150 models of illuminations takes a maximum of 14 days.

All of our motifs are made in Germany and are therefore available until just before Christmas.

References:

- Regent Street in London
- Kärntner Street in Vienna

Jelitto Star achieved a special milestone in 1999 when it supplied the illuminations for the ballroom in Stanley Kubrick's last movie „Eyes Wide Shut“.

Our customers:

- Marketing associations
- Towns and local authorities
- Shopping centres
- City marketing
- Retail trade
- Private individuals

What you should know...

Our products:

All of our displays are made from aluminum tubing or sections - this guarantees durability, low weight and quick installation.

All of our electrical components are VDE-approved. All light sockets, seals, plugs and cables are splash proof and tested in accordance with EU standards.

Comprehensive on-site consultation including visit to the building, assessment of quantities required taking into account the installation options specific to the building.

Comprehensive quotation including photomontage, positioning plans with exact data on illumination weight, power consumption and surface area exposed to the wind.

Design of special displays such as business or shopping centre logos.

Development of special brackets to your specification for almost any installation situation.



about us:

Special brackets manufactured to customer requirements make installation easy and save lots of time and money in subsequent years.

All classical illuminations with E27 sockets come supplied with our black, UV-resistant silicone seals. Our E27 lamps are manufactured with a special bonding.

We thoroughly test and check the reliability and durability of bought-in mini light strings or light ropes with LED technology.

The garlands manufactured in-house are UV-resistant and remaining non-fading even in strong sunlight.

The plastic film used is flame-retardant in accordance with DIN 4102 and has a B2 flammability rating.

Our garlands are mounted on galvanised wire and remain on the display for many years.





Across-street illuminations

Our cross-street illuminations help you to avoid unattractive gaps when illuminating „your“ street and create an impressive overall experience.

Advantages: The „black hole“ between the sides of the street area is festively illuminated, all you need is one illumination every 15 to 25 meters. Mounting all displays at the same height results in a very nice depth effect. Activating all illumination at the same time additionally creates a strong ‚wow‘ effect.



Delivery includes galvanised steel cable (6 mm diameter) with cable tensioner, cable dampers, pre-mounted chains with carabiners on displays. Individual displays fitted with earthed safety plug, light sockets with UV-resistant, black silicone seal, LED-lamps (0,8 W) with a special bonding - available in matte or clear.

Information: Clearance height (4,5 m lower edge motif) must be observed. Initial installation is labor intensive. Subsequent installations incur costs for elevating platforms. Permission of building owner is required. Depending on the type of display the connection of the displays is established VDE-approved connectors and coupling or VDE-approved screw connection. Jelitto Star service: Manufacturing of special illuminations such as city coat of arms and logos. Most displays are also available with LED light rope or LED E27 lamps.

Across-street illuminations



Motif SB-3

| | | |
|--------------|-------------|-------------|
| Type | ST-01-010 | BO-04-014 |
| Size | 80 x 75 cm | 150 x 50 cm |
| Weight | 1,762 kg | 2,435 kg |
| Overall size | 600 x 75 cm | |




Motif SB-2

| | | |
|--------------|--------------|-------------|
| Type | KR-01-018 | BO-03-014 |
| Size | 103 x 136 cm | 180 x 90 cm |
| Weight | 3,315 kg | 3,596 kg |
| Overall size | 450 x 136 cm | |



Motif LED-SB-26

| | | |
|--------------|--------------|-------------|
| Type | KBL-ST-002 | MI-BO-007 |
| Size | 135 x 125 cm | 150 x 50 cm |
| Weight | 4,698 kg | 2,493 kg |
| Overall size | 550 x 125 cm | |



Motif LED-SB-45

| | |
|--------|--------------|
| Type | KBL-UB-03 |
| Size | 330 x 100 cm |
| Weight | 6,242 kg |



Motif SB-7

| | | |
|--------------|--------------|-------------|
| Type | ST-01-020 | BO-02-016 |
| Size | 130 x 125 cm | 200 x 60 cm |
| Weight | 3,208 kg | 2,836 kg |
| Overall size | 650 x 125 cm | |



Motif LED-SB-47

Type KBL-GF-019
 Size 1100 x 220 cm
 Weight 45,945 kg



Motif LED-SB-29

Type KBL-ST-025 MI-BO-005
 Size 130 x 135 cm 213 x 90 cm
 Weight 6,083 kg 5,510 kg
 Overall size 700 x 135 cm



Motif SB-14

Type ST-01-030 KM-01-064
 Size 130 x 135 cm 285 x 110 cm
 Weight 4,088 kg 9,229 kg
 Overall size 800 x 135 cm



Motif LED-SB-28

Type KBL-ST-001 MI-BO-005
 Size 210 x 195 cm 213 x 90 cm
 Weight 10,258 kg 5,510 kg
 Overall size 750 x 200 cm



Motif LED-SB-5


Type LED-KM-001-I
 Size 290 x 95 cm
 Weight 8,239 kg
 Overall size 700 x 95 cm

Across-street illuminations



Motif LED-SB-11

Type LED-UB-028-I
Size 500 x 100 cm
Weight 14,125 kg



Motif LED-SB-35

Type KL-MI-011
Size 400 x 135 cm
Weight 5,642 kg



Motif LED-SB-21

Type LED-HL-047-I
Size 220 x 100 cm
Weight 10,345 kg
Overall size 500 x 100 cm



Motif LED-SB-46


Type KBL-UB-072
Size 300 x 125 cm
Weight 20,027 kg
Overall size 600 x 125 cm



Motif LED-SB-31


Type KBL-UB-046
Size 710 x 170 cm
Weight 25,904 kg





Motif LED-SB-37

| | | |
|--------------|--------------|--------------|
| Type | MI-ST-019 | LED-LV-150 |
| Size | ø 150 cm | 200 x 150 cm |
| Weight | 7,401 kg | 43,0 kg |
| Overall size | 650 x 150 cm | |




Motif LED-SB-33

| | | |
|--------------|-------------|-----------|
| 3D-SY-034 | 3D-SY-035 | 3D-SY-031 |
| ø 40 cm | ø 60 cm | ø 80 cm |
| 3,180 kg | 5,929 kg | 11,975 kg |
| Overall size | 650 x 80 cm | |



Motif LED-SB-49

| | | |
|--------|--------------|--|
| Type | KBL-SY-048 | |
| Size | 400 x 100 cm | |
| Weight | 14,440 kg | |



Motif LED-SB-14

| | | |
|--------------|--------------|--------------|
| Type | LED-ST-025-I | LED-BO-001-I |
| Size | 121 x 164 cm | 140 x 100 cm |
| Weight | 6,534 kg | 6,091 kg |
| Overall size | 500 x 164 cm | |



Motif LED-SB-48

| | | |
|--------|--------------|--|
| Type | LED-UB-118 | |
| Size | 600 x 125 cm | |
| Weight | 3,567 kg | |

Pole lighting



Even street lamps or other posts become a festively eye-catcher with a very nice depth effect by installing this kind of illumination.

LED-lamps (0,8 W) with a special bonding - available in matte or clear, light sockets with UV-resistant, black silicone seal. All LED-MB displays are equipped with LED light rope (13mm diameter, 36 lights /m).




Advantages: Mounting all displays at the same height and distance results in a very nice depth effect. By using electrical sockets during the initial installation, you won't need expensive and skilled staff for subsequent installations - this reduces follow-up costs. Delivery includes band clamps with galvanised clamping band to fit all posts from 60 to 100 mm diameter, 1m supply lead and loose, VDE-approved, earthed safety plug.

Jelitto Star service: Marman clamps with sponge rubber for painted streetlights. Special fittings for any post according to customer specification. Most displays are also available with LED light rope or LED E27 lamps.

Information: Installation height of approximately 3 m (in purely pedestrian precincts) must be observed. 4.5 m clearance height for installation above car traffic) must be observed.

Pole lighting




Motif MB-28

Type TA-20-021
Size 150 x 155 cm
Weight 4,56 kg




Motif LED-MB-29

Type KBL-ST-002-1
Size 145 x 125 cm
Weight 5,124 kg



Motif LED-MB-30

Type MI-TA-002
Size 125 x 145 cm
Weight 4,386 kg




Motif MB-24

Type ST-20-010
Size 90 x 75 cm
Weight 2,081 kg



Motif LED-MB-35

Type MI-TA-013
Size 200 x 225 cm
Weight 8,23 kg



Motif MB-26

Type ST-20-020
Size 145 x 125 cm
Weight 3,562 kg




Motif MB-25

Type KM-20-015
Size 135 x 85 cm
Weight 3,318 kg




Motif LED-MB-19

Type LED-HL-047-I
Size 100 x 220 cm
Weight 10,345 kg



Motif LED-MB-41

Type KBL-HL-076
Size 150 x 300 cm
Weight 13,703 kg




Motif LED-MB-43

Type LED-SY-172
Size 170 x 150 cm
Weight 5,970 kg



Motif LED-MB-16

Type LED-HL-003-I
Size 200 x 300 cm
Weight 15,985 kg



Motif LED-MB-15

Type LED-HL-002-I
Size 140 x 285 cm
Weight 18,013 kg



Motif LED-MB-44

Type LED-MS-033-5
Size 110 x 170 cm
Weight 6,361 kg

Pole lighting



Motif MB-35

Type KR-20-015
Size 70 x 140 cm
Weight 2,809 kg




Motif MB-23

Type KR-20-012
Size 85 x 80 cm
Weight 3,628 kg



Motif MB-37

Type KR-22-012
Size 105 x 100 cm
Weight 3,212 kg




Motif MB-29

Type ST-21-030
Size 145 x 125 cm
Weight 4,912 kg



Motif LED-MB-42

Type KBL-HL-078
Size ø 80 cm
Weight 4,304 kg



Motif MB-19

Type MS-43-015
Size 170 x 160 cm
Weight 8,23 kg




Motif MB-36

Type HL-23-021-I
Size 160 x 160 cm
Weight 5,764 kg




Motif LED-MB-33

Type KBL-ST-022-I
Size 145 x 125 cm
Weight 9,329 kg



Motif LED-MB-24

Type LED-ST-043-I
Size 126 x 164 cm
Weight 6,687 kg



Motif LED-MB-34

Type KBL-TA-014-I
Size 145 x 150 cm
Weight 5,129 kg



Motif LED-MB-26

Type LED-MS-007-I
Size 140 x 170 cm
Weight 6,818 kg



Motif LED-MB-04

Type LED-ST-038-I
Size 145 x 125 cm
Weight 5,498 kg



Motif LED-MB-28

Type LED-MS-009-I
Size 135 x 240 cm
Weight 5,833 kg



Building illuminations

HN-installation 90°



Create your outdoor lighting according to your individual ideas and specification, including custom-made displays such as business logos or city coat of arms.

Delivery includes one 90° wall bracket, wedge bolts and wing nuts for easy installation, 1m cable lead with fitted outdoor plug and LED-lamps (0,8 W) available in matte or clear.



Advantages: Since every business operates its own illuminations the marketing association incurs no extra costs. Only those who paying for the illumination actually receive a display (no free riders). If outdoor sockets are installed by a qualified electrician during the initial installation subsequent installations can be undertaken by your own staff to reduce costs.

Jelitto Star service:

Manufacturing of special illuminations such as city coat of arms and logos. Special brackets for all types of walls. All displays are also available with LED light rope or LED mini light strings.

Information: Black holes are often created by non-participating businesses. Installation height may vary massively. Installation height should not be below 3 m to prevent vandalism.





Motif HN-3

Type ST-20-020
Size 145 x 125 cm
Weight 3,562 kg



Motif HN-11

Type KR-22-012
Size 100 x 105 cm
Weight 3,212 kg



Motif HN-15

Type ST-20-010
Size 90 x 75 cm
Weight 2,081 kg



Motif HN-2

Type KR-20-015
Size 70 x 140 cm
Weight 2,809 kg




Motif HN-14

Type ST-21-020
Size 110 x 90 cm
Weight 3,261 kg



Motif LED-HN-35

Type KBL-KR-002-I
Size 120 x 150 cm
Weight 4,978 kg




Motif LED-HN-29

Type LED-SY-099
Size 100 x 130 cm
Weight 4,900 kg



Motif LED-HN-19

Type KBL-ST-009-2
Size 121 x 164 cm
Weight 7,002 kg



Motif LED-HN-30

Type 3D-HL-002
Size 100 x 210 cm
Weight 23,657 kg



Motif LED-HN-2

Type LED-ST-038-1
Size 145 x 125 cm
Weight 5,498 kg




Motif LED-HN-32

Type LED-ST-204-2
Size 110 x 85 cm
Weight 7,124 kg




Motif HN-1

Type TA-20-021
Size 150 x 155 cm
Weight 4,56 kg



Motif HN-17

Type TA-20-022
Size 95 x 105 cm
Weight 3,088 kg



Motif LED-HN-22

Type MI-TA-002-1
Size 145 x 140 cm
Weight 5,370 kg




Motif HN-18

Type HL-20-067
Size 200 x 300 cm
Weight 14,683 kg




Motif HN-5

Type KM-20-015
Size 135 x 85 cm
Weight 3,318 kg




Motif LED-HN-12

Type LED-HL-051-I
Size 100 x 150 cm
Weight 6,701 kg




Motif LED-HN-18

Type KBL-TA-014-I
Size 140 x 145 cm
Weight 5,129 kg




Motif LED-HN-14

Type LED-HL-050-I
Size 90 x 200 cm
Weight 8,915 kg



Motif LED-HN-34

Type LED-HL-126-I
Size 95 x 125 cm
Weight 4,867 kg



Motif LED-HN-33

Type LED-HL-123
Size 100 x 150 cm
Weight 8,513 kg

Building illuminations

HF-flat mounting



Photo: Patrick Liste | derpirat.com



Advantages: Since every business operates its own illuminations the marketing association incurs no extra costs. If outdoor sockets are installed by a qualified electrician during the initial installation subsequent installations can be undertaken by your own staff to reduce costs.

Delivery includes three wall brackets for flush-mounting (distance to the wall 10 cm), wedge bolts and wing nuts for easy installation, 1m cable lead with fitted outdoor plug and LED lamps (0,8 W) - available in matte or clear.

Jelitto Star service: Manufacturing of special illuminations such as city coat of arms and logos. Special brackets for all types of walls. All displays are also available with LED light rope or LED mini light strings.

Information: Black holes are often created by non-participating businesses. Installation height may vary massively. Installation height should not be below 3 m to prevent vandalism.





Motif HF-2

Type ST-01-020
Size 130 x 125 cm
Weight 3,208 kg



Motif LED-HF-29

Type KBL-ST-002
Size 135 x 125 cm
Weight 4,698 kg



Motif HF-16

Type TA-01-039
Size 175 x 225 cm
Weight 5,579 kg




Motif LED-HF-54

Type KBL-TA-037
Size 200 x 270 cm
Weight 35,267 kg



Motif LED-HF-41

Type KBL-ST-025
Size 130 x 135 cm
Weight 6,083 kg



Motif LED-HF-36

Type MI-TA-002
Size 125 x 145 cm
Weight 4,386 kg



Motif LED-HF-46

Type LED-SY-096
Size 120 x 90 cm
Weight 4,540 kg




Motif LED-HF-30

Type KBL-ST-022
Size 135 x 125 cm
Weight 6,55 kg




Motif LED-HF-42

Type KBL-SY-045-I
Size 95 x 95 cm
Weight 6,160 kg



Motif LED-HF-I2

Type LED-ST-025-I
Size 121 x 164 cm
Weight 6,534 kg



Motif LED-HF-53

Type KBL-KM-026
Size 165 x 60 cm
Weight 4,949 kg



Motif LED-HF-2

Type LED-KM-001-I
Size 290 x 95 cm
Weight 8,239 kg



3D-Illuminations



3D-Illuminations, letterings, custom-built displays.
Individual illuminations built according to your needs and wishes that impresses with three-dimensional appearance will cast its magic spell over pedestrians, visitors and your customers.



Custom-made illuminations:

A rough sketch is sufficient for us to create an attractive illumination.


Data sheets containing weight, power consumption and surface area exposed to the wind have been standard at Jelitto Star for years. We use light sockets with an E27 thread.

We only use lamps based on LED technology (mini light strings / E27 lamps / light ropes).



3D-Illuminations

Custom-made illuminations



Type KL-KBL-006

Size 85 x 92 cm

Weight 9,472 kg



Type KL-KBL-029

Size 200 x 250 cm

Weight 24,65 kg



Type KL-MI-017

Size 320 x 500 cm

Weight 159,380 kg

Type 3D-ST-010

Size 200 x 200 cm


Weight 27,282 kg



Type 3D-TA-063

Size 240 x 500 cm


Weight 56,78 kg




Type MI-ST-018

Size 110 x 120 cm

Weight 6,050 kg




Custom-made
illuminations



Letterings

Delivery includes chains with carabiners for all displays, fitted with earthed safety plug, LED-lamps (0,8 W) with a special bonding - available in matte or clear.

A rough sketch is sufficient for us to create an attractive illumination. We plan and build according to your needs and wishes.



All LED-SZ displays are equipped with LED light rope (13mm diameter, 36 lights / m).
Production of special letterings according to your template.
All displays are also available with LED light rope or upon request with LED E27 lamps.

Data sheets containing weight, power consumption and surface area exposed to the wind have been standard at us for years. We use light sockets with an E27 thread. We only use lamps based on LED technology (mini light strings / E27 lamps / light ropes).



Frohes Fest

Motif LED-SB-24

Type LED-SZFF-001
Size 490 x 65 cm
Weight 7,52 kg

Frohes Fest

Motif LED-SB-50

Type LED-SZF-012
Size 540 x 90 cm
Weight 26,484 kg

Frohes Fest

Motif LED-SB-51

Type MI-SZF-002
Size 600 x 100 cm
Weight 22,895 kg

FROHES FEST

Motif SB-18

Type SZ-FR-136
Size 530 x 190 cm
Weight 15,94 kg



Our Selfiepoints

- ... are inventive attractions
- ... increase the number of customers and frequency
- ... are highly suitable for pedestrian zones, shopping centres, fair and exhibitions, events, seminars, company parties, weddings, anniversaries and much more
- ... create memories that relate to special features of your brand
- ... are very decorative elements
- ... realize high advertising impact
- ... are photo spots
- ... are perfectly suitable to be spread by social media

Of course individual displays and solutions are possible!



Type 3D-FG-002

Size 170 x 350 cm

Weight 94,28 kg

Type KBL-UB-023

Size 650 x 620 cm


Weight 61,25 kg



Type 3D-SY-073


Size 110 x 170 cm

Weight 12,780 kg




Type 3D-SY-066

Size 135 x 205 cm
Weight 25,630 kg



Type KBL-SY-049

Size 135 x 200 cm
Weight 13,158 kg



Type 3D-SY-070

Size 270 x 150 cm
Weight 41,816 kg

All motifs are
delivered without
mounting accessories

Mini light strings



LED light curtains

Jelitto Star
ILLUMINATIONEN



Starry sky



Light curtains mounted on buildings

LED-LV-150-25-475

2 m wide, 25 chains a 1,5 m
475 LEDs, 100 Watt

LED-LV-300-25-925

2 m wide, 25 chains a 3,0 m
925 LEDs, 105 Watt

LED-LV-500-24-1220

2 m wide, 24 chains a 5,0 m
1.220 LEDs, 104 Watt



Light: warm-white



Light curtains in trees

LED-LV-500

Light curtain mounted on top of the tree. The single strings are arranged vertically in this example.



Black cable with unscrewable plug

Light curtains can be linked together

LED-LV-150-25-475 5 pieces

LED-LV-300-25-925 3 pieces

LED-LV 500-24-1200 3 pieces

LED light chains / LED icicles




Example:
wired
branches



Example: arranged
as string or wrapped

Overall length 20 m (200 LEDs), can be separated into 5 pieces of 4.0 m length each



Overall length 20 m (200 LEDs), can be separated into 5 pieces of 4.0 m length each



LED-LK 20-200 ww

20 m (200 LEDs), warm-white, white cable


LED-LK 20-200 ww

20 m (200 LEDs), warm-white, black cable

LED-LK 20-200 ww-F

20 m (200 LEDs, flashing), warm-white, black cable

Light chains with plug. All light chains can be linked. When linking mind the arrow applied on the screw connection.



Icicles
as a chain


LED light curtain icicle

String length from 30 to 70 cm, 100 LEDs, 9 W, up to 15 curtains may be linked together, white cable

Accessory


Rectifier

White or black



T-Connector

White or black



Base cable

With 20 connectors



Extension

White or black,
available in 100 cm, 200 cm, 300 cm and 500 cm lengths



Mount and connect ...




Standard mounting
Clamp
Diameter 60 mm



Standard mounting
Building installation, flush-mount



Standard mounting
Band clamp



Standard mounting
building installation, 90° wall bracket, wedge bolt and wing nut, M8 x 80



Connector
Y-Connector
black



Connector
T-Connector
black or white



Connector
Extension
black, available in 50 cm, 100 cm, 200 cm, 300 cm, 500 cm, 1.000 cm lengths
white, available in 100 cm, 200 cm, 300 cm, 500 cm lengths



Electronic component
Cable with plug for screwable rectifier
black




Electronic component
Rectifier with plug
black or white



Electronic component
Screwable rectifier
black





Electronic component
Contour plug



Electronic component
Schuko plug



Electronic component
Contour coupling



Electronic component
Angled schuko plug



Electronic component
Outdoor socket
on aluminum plate



Electronic component
Angled binder plug



Electronic component
Wieland plug



Electronic component
CEE plug



Electronic component
Binder plug



Electronic component
Wieland coupling



Electronic component
Binder coupling

Photos cover: Florian Ulbricht



Monthly WhatsApp
newsletter

Register now

+49 176 - 40 76 20 01

Jelitto Star
ILLUMINATIONEN